

**10.006**

**WHITE PP SHOECOVERS**

**10.005V**

**WITH BLUE, GREEN or WHITE PLASTIC-COATED SOLE**

**10.007**

Medical Device Class 1

**FEATURES & BENEFITS**

- PP shoecovers with 60µ PE plastic-coated sole consist of a PE non-slip preventing users from slipping and ensures a long product life longer face the risk of abrasion on rough floors.
- Available to color code tracking.
- Adaptable to different morphologies of all types of shoes.



**PRODUCT DESCRIPTION**

**Product name :** White PP Shoecovers  
SafeFeet SkidGuard  
with blue, green or white plastic-coated sole

**Product type :** Single use, non-sterile

**Composition :** PP spunlaid non woven + PE

**Confection :** Gluing

**Color(s) :** White + blue, green or white sole

**Grammage :** 30 g/m<sup>2</sup>

**Sole thickness :** 60 µm

**Size :** 160 x 400 mm (Size XL)

**Unit weight :** 11 g

**Country of origin :** France ■ ■ ■

Item	Sole color
10.006	<span style="color: blue;">■</span> Blue
10.005V	<span style="color: green;">■</span> Green
10.007	<span style="color: white;">■</span> White

**INDUSTRIES**

Industry / Chemical / Petrochemical / Food / Away from home food / Non residential catering / Community / Administration / Health / Medical / Surgical / Sanitary / Maintenance / Cleaning / Clean room / Lab / Pharma / Research.

**MECHANICAL INFORMATION**

Measurements done by independant laboratories (measures are available upon request)

TEST	STANDARD	LABORATORY		AVERAGE	UNIT	TOLERANCE
Grammage	ISO 9073-1	Cetelor		30,00	g/m <sup>2</sup>	±10%
Tensilestrenght	ISO 9073-3	Cetelor	Tensile stren. MD:	73,60	N	±10%
			Tensile stren. CD:	62,10	N	±10%
Elongation			Elongation MD:	52,72	%	±10%
			Elongation CD:	52,34	%	±10%

**10.006**

**WHITE PP SHOECOVERS**

**10.005V**

**WITH BLUE, GREEN or WHITE PLASTIC-COATED SOLE**

**10.007**

Medical Device Class 1

## MICROBIOLOGICAL INFORMATION

Assessment of initial microbial contamination according to standard NF EN ISO 11737-1:2018 + A1:2021.

## CERTIFICATIONS & STANDARDS

Meet requirements of Regulation (EU) 2017/745 on medical devices.

Manufacturing site: ISO 9001 - ISO 13485.

## PRECAUTIONS

The product must be used on intact skin only.

The reuse or extended use may lead to infection or cross-contamination.

Please refer to your national legislation on the subject of disposal of this product once it has been used.

## STORAGE CONDITIONS

Normal conditions of conservation & storage : not to be moisture and sunlight, must be stored in a cool environment or at room temperature.

Shelf life of the product: 5 years.

## MARKING ON PACKAGING



\* Do not use if package is damaged

## LOGISTIC INFORMATIONS

SPECIFICATIONS OUTER CASE					
Article	SIZE (mm)	WEIGHT (kg)	Qty / pallet	BARCODE	CDT
10.006	400 x 400 x 370	4,8	36 outer cases	3 700 381 500 164	1 bag of 400 units
10.007				3 700 381 500 171	
10.005V	400 x 400 x 306	3	42 outer cases	3 700 381 503 011	1 bag of 200 units