

Technical Data Sheet

60.754M 60.754L

Clean room mask "Duckbill" style



FEATURES & BENEFITS

- Low particle release level Helmke drum tested, suitable for use in ISO 3
 Class C or higher cleanrooms.
- Excellent filtration efficiency of particles, bacteria, and viruses (> 99%).
- The mask adapts to users and protocols with its two available sizes.
- Thanks to its large breathing chamber, the mask remains highly breathable.
- Softex technology minimizes the risk of particulate contamination while reducing the risk of skin irritation for the wearer.
- · Made from 25% recycled materials.
- The adjustable and malleable nose clip prevents fogging on glasses.
- The ISO AIR range is manufactured in a Controlled Atmosphere Zone.



240 (+/-5mm)

90 (+/-5mm)

PRODUCT DETAILS

Product name : ISO AIR Clean Room mask Product type : Single use, non sterile

Shape : Duckbill Fasteners : Headloops

Packaging: 6 bags of 50 masks - Double packed

Unit weight : $M - 3,3 \ g \ (+/-10\%)$ $L - 3,5 \ g \ (+/-10\%)$

Manufacturing country: France

60.754M
100 (+/- 10mm)
268 (+/- 5mm)
(@@s -/-) 08
115 (+/- 10mm)
60.754L

Made from 25% recycled materials, this ISO AIR mask reduces the consumption of polypropylene from fossil resources. Thanks to the Mass Balance approach and its value chain, we have designed the ISO AIR range from recycled polypropylene which, thanks to a chemical recycling process using heat, is returned to the state of monomers. This enables to keep the same characteristics as virgin polypropylene. It is thanks to this technique that our Mass Balance masks maintain excellent performances, similar to the performances of a mask made from virgin polypropylene. For more information about Mass Balance, please contact us.

RECOMMENDED AREAS – GMP COMPLIANT

Micro & nanoelectronics / Aerospace / Laboratories / Research / Cosmetics / Medical devices / Biotechnology / Automotive

Clean room mask "Duckbill" style



CERTIFICATIONS & STANDARDS

Helmke drum tested according to IEST-RP-CC003.4 Manufactured in an ISO 9001 certified facility

This mask is neither a Medical Device as defined in Regulation (EU) 2017/745 nor a Personal Protective Equipment as defined in Regulation (EU) 2016/425.

PRODUCT PERFORMANCE					
TEST	TESTING METHOD	LABORATORY	REPORT N° & DATE	RESULTS	
DELTA P	EN 14683:2019	CENTEXBEL	22.03961.01 09/08/2022	50,9 Pa/cm²	
Bacterial Filtration Efficiency: BFE	EN 14683:2019	CENTEXBEL	22.03961.01 09/08/2022	99,9 %	
Particles Filtration Efficiency 0.1 μm : PFE	ASTM F2299	NELSON	1535462-S01 09/08/2022	99,9 %	
Virus Filtration Efficiency : VFE	ASTM F2101	NELSON	1535464-S01 11/08/2022	99,9 %	

STORAGE CONDITIONS

Normal storage conditions: should not be exposed to moisture and sunlight, should be stored at room temperature. Shelf life: 5 years

LOGISTICS



ltem	Size (mm)	Gross weight (kg)	QTY/ pallet
60.754M	590 x 265 x 200	1,4	60
60.754L	390 X 203 X 200	1,5	

Inner bag spec.

Size (mm)	QTY / case
350 x 250 x 50	6 x 50
350 X 250 X 50	300 pcs

EAN Code

Item	Outer case	Inner bag
60.754M	3 700 381 521 817	3 700 381 521 862
60.754L	3 700 381 521 831	3 700 381 521 886

