

DATA SHEET WEEJET

REF : WL-J1-0X



FEATURES: Coverall with hood. Elasticated hood, waist, cuffs, and ankles. Thumb loop.

Double Self-adhesive storm flap and chinflap

FABRICS AND SEAMS: HDPE Film laminated and spunbonded polypropylene 88^{GSM}, taped seams

PHYSICAL PERFORMANCE

Fabric Physical Properties	Test Method	Results	Class
Abrasion resistance	EN530	>2000 cycles	Class 6
Flex cracking	ISO 7854 B	>100 000	Class 6
Trapezoidal Tear	ISO 9073-4	40 N / 60 N	Class 3
Tensile strength	ISO 13934-1	60 N / 100 N	Class 2
Puncture resistance	EN863	10 N / 50 N	Class 2
Resistance to ignition	EN 13274-4	Pass	

FABRIC RESISTANCE TO PENETRATION BY LIQUIDS EN ISO 6530

Fabric Chemical Properties	Penetration	Repellency
Sulphuric Acid 30%	Class 3	Class 3
Sodium Hydroxide 10%	Class 3	Class 3
O-Xylène	Class 3	Class 3
Bulan-1-ol	Class 3	Class 3

FABRIC AND TAPED SEAMS RESISTANCE TO PERMEATION BY LIQUIDS ENISO 6529

Chemicals	Synonyms	Breakthrough time (min)	Class
Sulphuric Acid 96%	Oil of Vitriol	> 480 min	Class 6/6
Nitric acid (70%)		> 480 min	Class 6/6
Phosphoric acid (85%)		> 480 min	Class 6/6
Sodium Hydroxide 50%	Caustic Soda / Soda Lye	> 480 min	Class 6/6
Hydrochloric Acid 37%		> 480 min	Classe 6/6
Hydrochloric Acid 32%		> 480 min	Classe 6/6

FABRIC RESISTANCE TO PENETRATION OF INFECTIVE AGENTS EN14126

Resistance to penetration by blood-borne pathogen ISO16604	Class 6/6
Resistance to penetration by contaminated liquids EN ISO22610	Class 6/6
Resistance to penetration by biologically contaminated aerosols EN ISO22611	Class 3/3
Resistance to penetration by contaminated solid particles ISO22612	Class 3/3

WHOLE SUIT TEST PERFORMANCE

Liquid tight suits and Spray Tight Suits Type 3B EN 14605	Pass
High level spray test Type 4B EN14605	Pass
Dry particles Type 5 B Method as defined by EN ISO 13982-1:2004 + A1:2010	Pass
Light splashes Type 6 B Method as defined by EN 13034 : 2005 +A1: 2009	Pass
Barrier to infective agents EN14126	Pass
Protection factor according to EN 1073-2:2002	Class 1
Surface resistivity EN 1149-5	Pass
Seam Strength ISO 13935-2	Class 4

CHART SIZE

Size	WeeSafe reference	Body Height	Chest
M	WL-J1-02	170-176 cm	92-100 cm
L	WL-J1-03	176-182 cm	100-108 cm
XL	WL-J1-04	182-188 cm	108-116 cm
XXL	WL-J1-05	188-194 cm	116-124 cm

PACKAGING

	Units	Weight	Size	Volume
Carton	25	13 KG	52 X 32 X 41 CM	0,0682 M ³
Pallet	400	208 KG	80 X 120 CM	1.0912 M ³

GENCOD

CARTON	M	3701012801933	L	3701012801797	XL	3701012801810	XXL	3701012801834	XXXL	
POLYBAG		3701012801926		3701012801780		3701012801803		3701012801827		

CUSTOM CODE : 6210109800